

FILE 'USPAT' ENTERED AT 07:35:27 ON 18 SEP 1998

```
*****
*               W E L C O M E   T O   T H E               *
*               U . S .   P A T E N T   T E X T   F I L E   *
*****
```

=> s organosilicon## or silicon## or siloxan## or organosiloxan## or  
polysiloxan## or organosiloxan## or polyorganosiloxan## or  
diorganoploysiloxan##

```
      5732 ORGANOSILICON##
      265675 SILICON##
      19371 SILOXAN##
      2859 ORGANOSILOXAN##
      15643 POLYSILOXAN##
      2859 ORGANOSILOXAN##
      2383 POLYORGANOSILOXAN##
      0 DIORGANOPLOYSILOXAN##
L1      272231 ORGANOSILICON## OR SILICON## OR SILOXAN## OR ORGANOSILOXAN#
# O
      R POLYSILOXAN## OR ORGANOSILOXAN## OR POLYORGANOSILOXAN## O
R D
      IORGANOPLOYSILOXAN##
```

=> s organosilicon## or silicon## or siloxan## or organosiloxan## or  
polysiloxan## or organosiloxan## or polyorganosiloxan## or  
diorganopolysiloxan##

```
      5732 ORGANOSILICON##
      265675 SILICON##
      19371 SILOXAN##
      2859 ORGANOSILOXAN##
      15643 POLYSILOXAN##
      2859 ORGANOSILOXAN##
      2383 POLYORGANOSILOXAN##
      1583 DIORGANOPOLYSILOXAN##
L2      272237 ORGANOSILICON## OR SILICON## OR SILOXAN## OR ORGANOSILOXAN#
# O
      R POLYSILOXAN## OR ORGANOSILOXAN## OR POLYORGANOSILOXAN## O
R D
      IORGANOPOLYSILOXAN##
```

=> s l1 and "aluminum hydroxide"

```
      317871 "ALUMINUM"
      181416 "HYDROXIDE"
      9526 "ALUMINUM HYDROXIDE"
          ("ALUMINUM" (W) "HYDROXIDE")
L3      3741 L1 AND "ALUMINUM HYDROXIDE"
```

=> s l2 and "curing agent"

```
      85302 "CURING"
      340911 "AGENT"
      13596 "CURING AGENT"
          ("CURING" (W) "AGENT")
L4      6280 L2 AND "CURING AGENT"
```

=> s 13 and "curing agent"

85302 "CURING  
340911 "AGENT"  
13596 "CURING AGENT"  
("CURING" (W) "AGENT")  
L5 240 L3 AND "CURING AGENT"

=> s 15 and organoperoxide

101 ORGANOPEROXIDE  
L6 2 L5 AND ORGANOPEROXIDE

=> d cit 1-

1. 4,808,640, Feb. 28, 1989, Thermosetting resin compositions; Yoshitsugu Morita, et al., 523/433; 524/500, 538, 541; 525/431, 474, 476, 477, 478 [IMAGE AVAILABLE]

2. 4,778,860, Oct. 18, 1988, Thermosetting resin composition; Yoshitsugu Morita, et al., 525/431; 524/413, 424, 425, 428, 437, 448, 451, 588, 779, 785, 786, 788, 789, 796, 861, 862; 525/474, 476, 477, 478 [IMAGE AVAILABLE]

=> s "aluminum hydroxide" and "surface treated"

317871 "ALUMINUM"  
181416 "HYDROXIDE"  
9526 "ALUMINUM HYDROXIDE"  
("ALUMINUM" (W) "HYDROXIDE")  
1391474 "SURFACE"  
366735 "TREATED"  
8264 "SURFACE TREATED"  
("SURFACE" (W) "TREATED")  
L7 469 "ALUMINUM HYDROXIDE" AND "SURFACE TREATED"

=> s 17 and 12

L8 267 L7 AND L2

=> s 18 and platinum

68318 PLATINUM  
L9 42 L8 AND PLATINUM

=> d cit 1-

1. 5,739,192, Apr. 14, 1998, **Polysiloxane** copolymers from Michael Adduct reactions; John D. Blizzard, et al., 524/379, 588; 528/26, 33, 38 [IMAGE AVAILABLE]

2. 5,705,258, Jan. 6, 1998, Thermal conductive composite **silicone** rubber sheet; Takehide Okami, et al., 428/202, 105, 113, 142, 200, 216, 221; 442/15 [IMAGE AVAILABLE]

3. 5,700,853, Dec. 23, 1997, **Silicone** rubber compositions; Takeo Yoshida, et al., 523/212, 204, 210; 524/493, 789 [IMAGE AVAILABLE]

4. 5,691,407, Nov. 25, 1997, **Silicone** rubber compositions for high-voltage electrical insulators; Syuuichi Azechi, et al., 524/437, 588, 786 [IMAGE AVAILABLE]

5. 5,681,808, Oct. 28, 1997, Detergent compositions; Hideki Kobayashi,

et al., 510/511, 276, 2 [IMAGE AVAILABLE]

6. 5,668,205, Sep. 16, 1997, **Silicone** rubber compositions for high-voltage electrical insulators; Takeo Yoshida, et al., 524/268, 588, 786, 860, 861; 525/428, 477 [IMAGE AVAILABLE]

7. 5,580,708, Dec. 3, 1996, Silver halide photographic material and color image forming process; Kiyoshi Kawai, et al., 430/507, 383, 510, 517, 522, 523, 531, 533 [IMAGE AVAILABLE]

8. 5,578,381, Nov. 26, 1996, Release coating compositions; Yuji Hamada, et al., 428/447; 427/387; 524/726, 742, 751, 755, 765, 770, 773, 792, 862; 528/12, 15, 18, 20, 21, 35 [IMAGE AVAILABLE]

9. 5,573,840, Nov. 12, 1996, Polymeric insulating material and formed article making use of the material; Takeo Inoue, et al., 428/216, 910; 524/269, 583 [IMAGE AVAILABLE]

10. 5,532,302, Jul. 2, 1996, Flame retardant composition and method for use in synthetic thermoplastic resins; Tetsuo Nakanishi, et al., 524/143, 127, 425, 430, 433, 444; 525/106 [IMAGE AVAILABLE]

11. 5,527,431, Jun. 18, 1996, **Silicon** polyelectrolytes for pitch deposit control; Chandrashekar S. Shetty, et al., 162/164.4, 168.1, 168.2, 199, DIG.4 [IMAGE AVAILABLE]

12. 5,510,439, Apr. 23, 1996, Vinyl alkoxysilane copolymer polyelectrolytes for pitch deposit control; Chandrashekar S. Shetty, et al., 526/279; 252/182.14; 526/262, 271 [IMAGE AVAILABLE]

13. 5,504,174, Apr. 2, 1996, Curable organopolysiloxane composition with condensation reaction curing and addition reaction curing; Masayuki Onishi, 528/15; 525/478; 528/17 [IMAGE AVAILABLE]

14. 5,476,709, Dec. 19, 1995, Polymeric insulating material and formed article making use of the material; Takeo Inoue, et al., 428/216, 323, 910; 524/265, 269, 430, 431, 433, 435, 436, 437, 583; 525/69 [IMAGE AVAILABLE]

15. 5,468,805, Nov. 21, 1995, Room-temperature-curable organopolysiloxane composition method for its preparation; Masayuki Onishi, 524/731, 863; 525/477, 478; 528/24, 31, 32, 34 [IMAGE AVAILABLE]

16. 5,418,051, May 23, 1995, Internally coated webs; J. Michael Caldwell, 442/61; 427/358, 359, 369, 387, 389, 389.9, 391, 393.3, 393.4, 412; 428/306.6, 308.4; 442/81, 102, 104 [IMAGE AVAILABLE]

17. 5,369,161, Nov. 29, 1994, Process for insulating high voltage electrical conducting media; Shigehiko Kunieda, et al., 524/266; 174/100; 524/437, 588 [IMAGE AVAILABLE]

18. 5,348,986, Sep. 20, 1994, Photocurable **silicone** composition, and method of making same; Hsien-Kun Chu, et al., 522/37, 40, 44, 46, 81, 83, 99; 524/860, 862; 528/32, 33 [IMAGE AVAILABLE]

19. 5,314,607, May 24, 1994, Apparatus and method for anodizing supports for lithographic printing plate; Nobuyoshi Kaneko, et al., 205/139; 204/206 [IMAGE AVAILABLE]

20. 5,274,057, Dec. 28, 1993, Bead suspension polymerization process; Michael K. Georges, et al., 526/202; 524/459; 525/59; 526/237 [IMAGE AVAILABLE]

21. 5,209,965, May 11, 1993, Internally coated webs; J. Michael Caldwell, 442/81; 427/358, 387, 412; 428/306.6, 308.4, 447, 904, 913;

22. 5,189,091, Feb. 23, 1993, Polycarbonate/aromatic polyester blends modified with a grafted olefin copolymer; Michael K. Laughner, 524/445, 449, 451, 456, 537; 525/67, 92E, 133, 146, 425, 439 [IMAGE AVAILABLE]

23. 5,179,134, Jan. 12, 1993, Photocurable **silicone** composition, and method of making the same; Hsien-Kun Chu, et al., 522/37, 40, 44, 46, 99, 172; 528/26, 31, 32, 34 [IMAGE AVAILABLE]

24. 5,013,807, May 7, 1991, Room-temperature curable composition; Chiyuki Shimizu, et al., 528/17; 525/403, 523; 528/18, 21 [IMAGE AVAILABLE]

25. 5,004,643, Apr. 2, 1991, **Silicone** polymer-internally coated webs; J. Michael Caldwell, 442/82; 427/358, 387, 412; 428/306.6, 308.4, 447, 904, 913; 442/88 [IMAGE AVAILABLE]

26. 4,980,413, Dec. 25, 1990, Curable organopolysiloxane composition exhibiting improved adhesion in the cured form; Akira Kasuya, 524/730, 265, 317, 773 [IMAGE AVAILABLE]

27. 4,973,644, Nov. 27, 1990, Room temperature-curable organopolysiloxane composition; Masayuki Onishi, et al., 528/15, 17, 18, 19, 30, 33, 34 [IMAGE AVAILABLE]

28. 4,891,399, Jan. 2, 1990, Thermoplastic resin-based molding composition; Hideo Ohkawa, et al., 523/200, 212, 213; 524/430, 440 [IMAGE AVAILABLE]

29. 4,882,225, Nov. 21, 1989, Modified powder or particulate material; Hiroshi Fukui, et al., 428/405; 427/215, 220, 255.4, 255.6; 428/220 [IMAGE AVAILABLE]

30. 4,868,063, Sep. 19, 1989, Glass fiber article-coating compositions; yoshio Okamura, et al., 428/429; 427/387; 524/862; 525/478; 528/15, 31, 32 [IMAGE AVAILABLE]

31. 4,818,614, Apr. 4, 1989, Modified powder; Hiroshi Fukui, et al., 428/403; 106/481; 427/215; 428/405, 407 [IMAGE AVAILABLE]

32. 4,801,445, Jan. 31, 1989, Cosmetic compositions containing modified powder or particulate material; Hiroshi Fukui, et al., 424/69, 63; 428/403, 404, 405, 407; 514/844; 523/209, 213, 215, 216 [IMAGE AVAILABLE]

33. 4,714,650, Dec. 22, 1987, Stainproof, flame-resistant composite sheet material; Tsutomu Obayashi, et al., 442/93; 428/365, 367, 379, 408, 414, 422, 424.4, 443, 447, 902, 921, 922; 442/85, 94, 136 [IMAGE AVAILABLE]

34. 4,686,135, Aug. 11, 1987, Composite sheet material; Tsutomu Obayashi, et al., 442/94; 156/306.9; 427/489, 491; 428/365, 367, 379, 408, 414, 421, 424.4, 443, 447, 476.3, 483, 518, 524, 920; 442/93, 136 [IMAGE AVAILABLE]

35. 4,533,687, Aug. 6, 1985, Flame-retardant rubber composition; Kunio Itoh, et al., 524/80, 264, 269, 414, 436, 437, 506; 525/100, 106 [IMAGE AVAILABLE]

36. 4,477,626, Oct. 16, 1984, **Polyorganosiloxane** compositions; Toshio Suzuki, 524/862, 865; 528/15, 31, 32 [IMAGE AVAILABLE]

37. 4,410,619, Oct. 18, 1983, Photographic material; Massashi Kubota, et al., 430/234, 531, 538, 551, 566 [IMAGE AVAILABLE]

38. 4,341,650, Jul. 25, 1982, Chemically stabilized a...mic acids, processes for their preparation and their use; Kuno W...r, et al., 252/1; 502/167; 536/1.11 [IMAGE AVAILABLE]

39. 4,298,661, Nov. 3, 1981, **Surface treated** steel materials; Teruo Ikeno, et al., 428/623, 626, 629, 632, 656, 659, 926, 935 [IMAGE AVAILABLE]

40. 4,216,140, Aug. 5, 1980, Room temperature vulcanizable **polyorganosiloxane** composition; Chiyuki Simizu, 523/200; 524/706, 773, 786, 850, 864; 528/34, 38, 901 [IMAGE AVAILABLE]

41. 4,182,824, Jan. 8, 1980, Curable organopolysiloxane compositions; Toshio Suzuki, et al., 528/15, 14, 31, 32 [IMAGE AVAILABLE]

42. 3,944,705, Mar. 16, 1976, Electrostatic recording material and manufacture thereof; Hironari Fujioka, et al., 428/331; 427/121; 428/405, 447 [IMAGE AVAILABLE]

=> log y

U.S. Patent & Trademark Office LOGOFF AT 07:48:16 ON 18 SEP 1998

Trying 11180...Open

PLEASE ENTER HOST PORT ID:

PLEASE ENTER HOST PORT ID:x

LOGINID:d170mxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, 4, OR ?): 3

```
* * * * *
*
*           Welcome to MESSENGER (APS Text) at USPTO
*
*
*   The USPTO production files are current through:
*   SEPTEMBER 15,1998 for U.S. Patent Text Data.
*   SEPTEMBER 15,1998 for U.S. Current Classification Data.
*   SEPTEMBER 15,1998 for U.S. Patent Image Data.
*
* * * * *
* * * * *
*           * PLEASE USE 305-9000 FOR NEW TELEPHONE NUMBER *
*
* * * * *
* More U.S. patent data is now available on APS. The new
* USOCR file contains patents issued in 1970, plus some
* patents that were missing from the USPAT file. See the
* Patents News Folder under the Public Folders in e-mail for
* more information on using the new file. Thank you.
* * * * *
*   DISCLAIMER:
*   Neither the United States Government, nor any agency
*   thereof, nor any of their contractors, subcontractors or
*   employees make any warranty, expressed or implied,
*   including any warranty of marketability of fitness for a
*   particular purpose; nor assumes any legal liability or
*   responsibility for any party's use, or the results of
*   such, of the data.
* * * * *
*           Help Desk --> 703-305-9000
*
```